

EXPRESS MAIL NO. EL 477 032 915 US

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

ATTY. DOCKET NO.

7853-251 (CON of 7853-125)

APPLICATION NO.

10/20/633
TDA

APPLICANT

Levinson et al.

FILING DATE

on even date herewith

GROUP

1645

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
MS	BR	5,116,964	5/26/92	Capon and Lasky			
	CK	5,262,311	11/16/93	Pardee and Liang			
	DC	5,840,691	11/24/98	Furcht et al.			
	DD	5,721,351	2/24/98	Levinson			
	DE	5,591,719	1/7/97	Furcht et al.			

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
	BS	EP 239400	8/3/94	European Pat. Off.				

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

	AA	Seder and Gros, 1995, "The functional role of CD8 ⁺ T helper type 2 cells", J Exp Med 181:5-7.
	AB	Bergers et al., 1994, "Alternative promoter usage of the Fos-responsive gene <i>Fit-1</i> generates mRNA isoforms coding for either secreted or membrane-bound proteins related to the IL-1 receptor", EMBO J 13(5):1176-1188.
	AC	Gavett et al., 1994, "Depletion of murine CD4 ⁺ T lymphocytes prevents antigen-induced airway hyperreactivity and pulmonary eosinophilia", Am J Respir Cell Mol Biol 10:587-593.
	AD	Kaneshima et al., 1994, "Human hematolymphoid cells in SCID mice", Curr Opin Immunol 6:327-333.
	AE	Lukacs et al., 1994, "Interleukin-4-dependent pulmonary eosinophil infiltration in a murine model of asthma", Am J Respir Cell Mol Biol 10:526-532.
	AF	Maggi et al., 1994, "Th2-like CD8 ⁺ T cells showing B cell helper function and reduced cytolytic activity in human immunodeficiency virus type 1 infection", J Exp Med 180:489-495.
	AG	Maggi et al., 1994, "Ability of HIV to promote a T _H 1 to T _H 0 shift and to replicate preferentially in T _H 2 to T _H 0 cells", Science 265:244-248.
	AH	Manetti et al., 1994, "CD30 expression by CD8 ⁺ T cells producing type 2 helper cytokines. Evidence for large numbers of CD8 ⁺ CD30 ⁺ T cell clones in human immunodeficiency virus infection", J Exp Med 180:2407-2411.
	AI	Marsh et al., 1994, "Linkage analysis of <i>IL4</i> and other chromosome 5q31.1 markers and total serum immunoglobulin E concentrations", Science 264:1152-1156.
	AJ	Chen et al., 1993, "RAG-2-deficient blastocyst complementation: An assay of gene function in lymphocyte development" Proc Natl Acad Sci USA 90:4528-4532.
	AK	Clerici et al., 1993, "Restoration of HIV-specific cell-mediated immune responses by interleukin-12 in vitro", Science 262:1721-1724.

RPSwartz 11-20-03

AL	Clerici et al., 1993, "Changes in interleukin-2 and interleukin-4 production in asymptomatic-human immunodeficiency virus-seropositive individuals", J Clin Invest 91:759-765.
AM	Kanagawa et al., 1993, "Resistance of mice deficient in IL-4 to retrovirus-induced immunodeficiency syndrome (MAIDS)", Science 262:240-242.
AN	Robinson et al., 1993, "Activation of CD4 ⁺ T cells, increased T _{H2} -type cytokine mRNA expression, eosinophil recruitment in bronchoalveolar lavage after allergen inhalation challenge in patients with atopic asthma", J Allergy Clin Immunol 92:313-324.
AO	Yanagisawa et al., 1993, "Presence of a novel primary response gene ST2L, encoding a product highly similar to the interleukin 1 receptor type 1", FEBS Lett 318(1):83-87.
AP	Liang and Pardee, 1992, "Differential display of eukaryotic messenger RNA by means of the polymerase chain reaction", Science 257:967-971.
AQ	Shinkai et al., 1992, "RAG-2-deficient mice lack mature lymphocytes owing to inability to initiate V(D)J rearrangement", Cell 68:855-867.
AR	Tominaga et al., 1992, "Nucleotide sequence of a complementary DNA for human ST2", Biochim Biophys Acta 1171:215-218.
AS	Werenskiold, 1992, "Characterization of a secreted glycoprotein of the immunoglobulin superfamily inducible by mitogen and oncogene", Eur J Biochem 204:1041-1047.
AT	Young et al., 1992, "Expression of cytolytic mediators by synovial fluid lymphocytes in rheumatoid arthritis", Am J Path 140(5):1261-1268.
AU	Del Prete et al., 1991, "Purified protein derivative of <i>Mycobacterium tuberculosis</i> and excretory-secreted antigen(s) of <i>Toxocara canis</i> expand in vitro human T cells with stable and opposite (Type 1 T helper or Type 2 T helper) profile of cytokine production", J Clin Invest 88:346-350.
AV	Ebnet et al., 1991, "In vivo primed mouse T cells selectively express T cell-specific serine proteinase-1 and the proteinase-like molecules granzyme B and C", Int Immunol 3(1):9-19.
AW	McMahan et al., 1991, "A novel IL-1 receptor, cloned from B cells by mammalian expression, is expressed in many cell types", EMBO J 10(10):2821-2832.
AX	Moll et al., 1991, "Expression of T-cell-associated serine proteinase 1 during murine <i>Leishmania major</i> infection correlates with susceptibility to disease", Infect Immun 59(12):4701-4705.
AY	Mosmann and Moore, 1991, "The role of IL-10 in crossregulation of T _{H1} and T _{H2} responses", Immunol Today 12:A49-A53.
AZ	Tominaga et al., 1991, "Molecular cloning of the murine ST2 gene. Characterization and chromosomal mapping", Biochim Biophys Acta 1090:1-8.
BA	Yamamura et al., 1991, "Defining protective responses to pathogens: Cytokine profiles in leprosy lesions", Science 254:277-279.
BB	Makino et al., 1990, "H-2-associated and background genes influence the development of a murine retrovirus-induced immunodeficiency syndrome", J Immunol 144(11):4347-4355.
BC	Murphy et al., 1990, "Induction by antigen of intrathymic apoptosis of CD4 ⁺ CD8 ⁺ TCR ^{lo} thymocytes in vivo", Science 250:1720-1723.

MSwartz 11-20-03

BD	Ojcius and Young, 1990, "Cell-mediated killing: Effector mechanisms and mediators", Cancer Cells 2:138-145.
BE	Wiernenga et al., 1990, "Evidence for compartmentalization of functional subsets of CD4 ⁺ T lymphocytes in atopic patients", J Immunol 144(12):4651-4656.
BF	Cooper et al., 1989, "Analysis of naturally occurring delayed-type hypersensitivity reactions in leprosy by in situ hybridization", J Exp Med 169:1565-1581.
BG	Firestein et al., 1989, "A new murine CD4 ⁺ T cell subset with an unrestricted cytokine profile", J Immunol 143(2):518-525.
BH	Klemenz et al., 1989, "Serum- and oncoprotein-mediated induction of a gene with sequence similarity to the gene encoding carcinoembryonic antigen", Proc Natl Acad Sci USA 86:5708-5712.
BI	Liu et al., 1989, "Perforin and serine esterase gene expression in stimulated human T cells", J Exp Med 170:2105-2118.
BJ	Mosmann and Coffman, 1989, "TH1 and TH2 cells: Different patterns of lymphokine secretion lead to different functional properties", Ann Rev Immunol 7:145-173.
BK	Tominaga, 1989, "A putative protein of a growth specific cDNA from BALB/c-3T3 cells is highly similar to the extracellular portion of mouse interleukin 1 receptor", FEBS Lett 258(2):301-304.
BL	Werenskiold et al., 1989, "Induction of a mitogen-responsive gene after expression of the Ha-ras oncogene in NIH 3T3 fibroblasts", Mol Cell Biol 9(11):5207-5214.
BM	Fruth et al., 1988, "Determination of frequency of T cells expressing the T cell-specific serine proteinase 1 (TSP-1) reveals two types of L3T4 ⁺ T lymphocytes", Eur J Immunol 18:773-781.
BN	Mueller et al., 1988, "A high proportion of T lymphocytes that infiltrate H-2-incompatible heart allografts in vivo express genes encoding cytotoxic cell-specific serine proteases, but do not express the MEL-14-defined lymph node homing receptor", J Exp Med 167:1124-1136.
BO	Gershenfeld and Weissman, 1986, "Cloning of a cDNA for a T cell-specific serine protease from a cytotoxic T lymphocyte", Science 232:854-858.
BP	Masson et al., 1986, "Identification of granzyme A isolated from cytotoxic T-lymphocytes-granules as one of the proteases encoded by CTL-specific genes", FEBS Lett 208(1):84-88.
BQ	Masson et al., 1986, "Granules of cytotoxic T-lymphocytes contain two serine esterases", EMBO J 5(7):1595-1600.
BT	Gu et al., 1994, "Deletion of a DNA polymerase β gene segment in T cells using cell-type specific gene targeting", Science 265:103-106.
BU	Larhammar et al., 1992, "Cloning and functional expression of a human neuropeptide Y/peptide YY receptor of the Y1 type", J Biol Chem 267:10935-10938.
BV	Law et al., 1991, "Identification of the subunits of GTP-binding proteins coupled to somatostatin receptors", J Biol Chem 266:17885-17897.
BW	Gershenfeld et al., 1988, "Cloning and chromosomal assignment of a human cDNA encoding a T cell- and natural killer cell- specific trypsin-like serine protease", Proc Natl Acad Sci USA 85:1184-1188.
BX	Ishidoh et al., 1987, "Molecular cloning and sequencing of cDNA for rat cathepsin H", FEBS Lett 226:33-37.

RR Swartz

11-20-03

009	BY	Askew et al., 1989, "Molecular recognition with convergent functional groups. 6. Synthetic and structural studies with a mode receptor for nucleic acid components", J Am Chem Soc 111:1082-1090.
	BZ	Lewis et al., 1989, "Automated site-directed drug design: the concept of spacer skeletons for primary structure generation", Proc R Soc Lond 236:125-140.
	CA	Lewis et al., 1989, "Automated site-directed drug design: the formation of molecular templates in primary structure generation", Proc R Soc Lond 236:141-162.
	CB	McKinlay et al., 1989, "Rational design of antiviral agents", Annu Rev Pharmacol Toxicol 29:111-22.
	CC	Perry et al., <u>QSAR: Quantitative structure-activity relationships in drug design</u> , pp. 189-193 (Alan R. Liss, Inc. 1989).
	CD	Ripka, June 16, 1988, "Computers picture the perfect drug", New Scientist pp. 54-58.
	CE	Rouvinen et al., 1988, "Computer-aided drug design", Acta Pharmaceutica Fennica 97:159-166.
	CF	Liew, F., 1994, "Induction and regulation of CD4+ T cell subsets", CIBA Foundation Symposium 87:170-178
	CG	Volmer et al., 1994, "T lymphocytes derived from skin lesions of patients with psoriasis vulgaris express a novel cytokine pattern that is distinct from that of T helper type 2 cells", Eur J Immunol 24:2377-2382
	CH	Houge, G., 1993, "Simplified construction of a subtracted cDNA library using asymmetric PCR", PCR Methods and Applications 2(3):204-209
	CI	Miller, A., 1992, "Human gene therapy comes of age", Nature 357:455-460
	CJ	Tepper, R. et al., 1990, "IL-4 induces allergic-like inflammatory disease and alters T cell development in transgenic mice", Cell 62:457-467
	CL	Cohn et al., 1997, "Induction of airway mucus production by T helper 2 (Th2) cells: a critical role for interleukin 4 in cell recruitment but not mucus production", J Exp Med 186:1737-1747
	CM	Tsuyuki et al., 1997, "Costimulation through B7-2 (CD86) is required for the induction of a lung mucosal T helper cell 2 (Th2) immune response and altered airway responsiveness", J Exp Med 185:1671-1679
	CN	Zheng and Flavell, 1997, "The transcription factor GATA-3 is necessary and sufficient for Th2 cytokine gene expression in CD4 T cells", Cell 89:587-596
	CO	Gächter et al., 1996, "Transcription of the interleukin-1 receptor-related T1 gene is initiated at different promoters in mast cells and fibroblasts", J Biol Chem 271:124-129
	CP	George et al., 1994, "Embryonic expression and cloning of the murine GATA-3 gene", Development 120:2673-2686
	CQ	Ko and Engel, 1993, "DNA binding specificities of the GATA transcription factor family", Mol Cell Biol 13:4011-4022
	CR	Wang et al., 1992, "IL-4 activates a distinct signal transduction cascade from IL-3 in factor-dependent myeloid cells", EMBO J. 11:4899-4908
	CS	Frangogiannis et al., 1998, "Resident cardiac mast cells degranulate and release preformed TNF- α , initiating the cytokine cascade in experimental canine myocardial ischemia/reperfusion", Circulation 98:699-710
	CT	Ichimura et al., 1998, "Kidney-injury molecule-1 (KIM-1), a putative epithelial cell adhesion molecule containing a novel immunoglobulin domain, is up-regulated in renal cells after injury", J Biol Chem 273:4135-4142

009

11-20-03

AM	CU	Altschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucl Acids Res 25:3389-3402
	CV	Kumar et al., 1997, "Expression of ST2, an interleukin-1 receptor homologue, is induced by proinflammatory stimuli", Biochem Biophys Res Comm 235:474-478
	CW	Metzler and Xu, 1997, "The role of mast cells in atherosclerosis", Int Arch Allergy Immunol 114:10-14
	CX	Altschul et al., 1996, "Basic Local Alignment Search Tool", J Mol Biol 215:403-410
	CY	Karlin et al, 1993, "Applications and statistics for multiple high-scoring segments in molecular sequences", Proc Natl Acad Sci USA 90:5873-5877
	CZ	Karlin and Altschul, 1990, "Methods for assessing the statistical significance of molecular sequence features by using general scoring schemes", Proc Natl Acad Sci USA 87:2264-2268
	DA	Myers and Miller, 1988, "Optimal Alignments in Linear Space", Comput Appl Biosci 4:11-17
	DB	Lloyd et al., 1998, "Identification of a Novel cDNA Involved in the Promotion of Renal Ischemia/Reperfusion Injury", J. Am. Soc. Nephrol. (Program and Abstract Issue) 9:502A
	DF	Ding et al., 1993, Recombinant human insulin-like growth factor-I accelerates recovery and reduces catabolism in rats with ischemic acute renal failure. J Clin Invest. 91(5):2281-7

EXAMINER	DATE CONSIDERED
MSwamy	11-20-03

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.